

VOE JARL

MULTIPURPOSE ANCHOR HANDLING TUG WORKBOAT



GENERAL

Type:	Multipurpose Vessel
Building year:	2007
Classification:	Bureau Veritas MCA workboat Category 1
MMSI n°:	235055168
IMO n°:	9429974
Call sign:	MSBB3

DIMENSIONS

Length O.A. (m):	26
Beam O.A. (m):	11.5
Draft min. (m):	2.25
Bollard pull (T):	33
Clear deck area (m2):	160
Cargo deck load (T/m2):	10



This document is for guidance and information only. All informations provided are given under good faith and are non-contractual.

VOE JARL

DETAILED SPECIFICATIONS



CAPACITIES

Fuel capacity (m3):	110
Fresh water (m3):	52
Sewage tank capacity (m3):	9.2
Dirty oil tank (m3):	1.7

CONTROL & NAVIGATION

Sounder:	Furuno FCV 581
Autopilot:	Radio Zeeland, Sea Pilot 75
GPS:	Furuno GP-33
DGPS:	Furuno GP-80
Gyrocompass:	Tokimec ESN.110N

POWER SUPPLY

Generator set:	2 x Cummins 6BT 5.9-D 89kVA each
Hydraulic generator:	Cummins N14-M 400kW

ACCOMMODATION

POB:	6
Cabins:	3

MACHINERY

Main engine:	3 x Cummins KTA 38M0
Cruising speed (kts):	10
Main thrusters:	3 x fixed pitch props in nozzles, 1700mm
Bow thruster:	Hydraulically driven 200kW, 360

DECK MACHINERY


Hydraulic crane FWD:	Effer 200.000 3S , 10.5 T @ 16m
Hydraulic crane AFT:	Effer 200.000 3S , 10.5 T @ 16m
Towing winch (T):	50T pull, 90T brake 700m x 40mm
Tugger winch (T):	2 x 13T pull ? 100m x 18mm
Anchor handling winch (T):	100

COMMUNICATION

VHF:	2 x Sailor RT 5022 / DSC
AIS:	McMurdo Class A

VOE JARL

GENERAL ARRANGEMENT



This document is for guidance and information only. All informations provided are given under good faith and are non-contractual.